

i2Active 4002

2024.04.20 21:38:04

FAQ

主题:	i2Active 4002FAQ	回复数:	1
语言:	中文(简体)	进度:	100.00 %
语言:	zh_CN	时间:	2023/07/25 10:53:04

问题 (0)

问题 (0)

问题描述

问题 (0)

```
4002
1. 问题描述
   ASM 问题描述
2. 问题描述
   logreader 问题描述
3. bakredo 问题描述
   bakredo -u rule-uuid -n redolog-limit
2022/11/11
   4002 redolog
1. iatrac.log
2022-11-10 14:13:17 fatal 29D162D8-4834-FF1B-E961-F39AE4D4FB62 Reader[1] get
redolog 232 err -1
2022-11-10 14:13:18 err 29D162D8-4834-FF1B-E961-F39AE4D4FB62
OraFile.cpp::Open:131 Read redo /oradata/orcl/redo01.log off 0 len 512 err -9
2022-11-10 14:13:18 fatal 29D162D8-4834-FF1B-E961-F39AE4D4FB62 Reader[1] get
redolog 232 err -1
2022-11-10 14:13:19 err 29D162D8-4834-FF1B-E961-F39AE4D4FB62
OraFile.cpp::Open:131 Read redo /oradata/orcl/redo01.log off 0 len 512 err -9
2. logreader
[oracle@localhost ~]$ ps -ef|grep logreader
oracle 25901 1 0 12:50 ? 00:00:00
/home/oracle/i2active/bin/logreader 26899 172.20.66.165 /oradata/orcl/
/u01/app/arch/
3. logreader
logreader
1. logreader
2. logreader
3. logreader
4. redolog
rman target/
delete noprompt archivelog all completed before 'sysdate';
5. 4002
set linesize 200
set pagesize 5000
col transaction_duration format a40
col program format a15
col username format a15
with transaction_details as
( select inst_id
, start_date
, ses_addr
```

```
, sysdate - start_date as diff
,xidusn
from gv$transaction
)
select s.username
, to_char(trunc(t.diff))
  || ' days, '
  || to_char(trunc(mod(t.diff * 24,24)))
  || ' hours, '
  || to_char(trunc(mod(t.diff * 24 * 60,24)))
  || ' minutes, '
  || to_char(trunc(mod(t.diff * 24 * 60 * 60,60)))
  || ' seconds' as transaction_duration
, s.program
, s.terminal
, s.status
, s.sid
, s.serial#
, t.start_date
, r.rssize/1024/1024
, sq.sql_text
from gv$session s
, transaction_details t
, gv$rollstat r
, gv$sqltext sq
where s.inst_id = t.inst_id
and s.saddr = t.ses_addr
and t.xidusn = r.usn
and s.sql_address=sq.address
order by t.diff desc;
Kill
alter system kill session '999,40840' immediate;
4002
① dumpredo
② REDO
Select thread#,min(sequence#) from v$archived_log where (CREATOR='ARCH' OR
CREATOR='FGRD' OR CREATOR='RMAN') and name is not null group by thread#;
③
/UID/Track/Dyn
/UID/Back/ActData
④ dumpredo
dumpredo -b seq.block,seq.block -o ./
1 100
2 155
3 99
dumpredo -b 100.2,155.2,99.2 -o ./
seqblock2
620230509
4002iadebug track ----resume force
```